

Prepared for:
PURE BLOOM BOTANICALS

CREAM

Batch ID or Lot Number: 31022B	Test: Potency	Reported: 12Oct2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000223962	Started: 11Oct2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 06Oct2022	Status: N/A

Cannabinoids	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.016	0.059	ND	ND	
Cannabichromenic Acid (CBCA)	0.014	0.054	ND	ND	
Cannabidiol (CBD)	0.051	0.153	0.520	5.20	
Cannabidiolic Acid (CBDA)	0.052	0.157	ND	ND	
Cannabidivarin (CBDV)	0.012	0.036	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.022	0.065	ND	ND	
Cannabigerol (CBG)	0.009	0.034	ND	ND	
Cannabigerolic Acid (CBGA)	0.038	0.141	ND	ND	
Cannabinol (CBN)	0.012	0.044	ND	ND	
Cannabinolic Acid (CBNA)	0.026	0.096	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.045	0.168	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.041	0.152	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.036	0.135	ND	ND	
Tetrahydrocannabivarin (THCV)	0.008	0.031	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.032	0.119	ND	ND	
Total Cannabinoids			0.520	5.20	
Total Potential THC			ND	ND	
Total Potential CBD			0.520	5.20	

Final Approval

K Winternheimer

Karen Winternheimer
13Oct2022
10:30:00 PM MDT

Samantha Smith

Sam Smith
13Oct2022
10:31:00 PM MDT



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/59045b62-5d7e-48ae-bc58-f1555949548b>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4520-02
59045b625d7e48aebc58f1555949548b.1